

**Logistics & Load Carrier Solutions** 





Proudly leading the way in logistics solutions

With over 25 years of experience, Van Vliet offers a full suite of services under one roof. From our in-house engineering team and dedicated sustainability department to our custom software for footprint calculations and reporting, we have all the expertise needed to optimize your supply chain.

Our centralized facilities in Aalsmeer feature a showroom, service center and advanced production technology, including CNC-robotic machinery and 3D printers. Additionally, our globally operated production facilities enable us to ensure consistent quality and provide dependable support wherever you are.

#### Comprehensive expertise for seamless logistics

We pride ourselves on being a reliable partner for the world's largest retailers and fastest-growing fulfillment companies. Our holistic approach covers everything from design and development to repair, service and support, ensuring that every aspect of your logistics needs is met with precision and care. Our innovative scan and trace apps further enhance supply chain transparency and efficiency.

#### Innovative solutions for a sustainable future

Whether you need robust roll containers or innovative logistics solutions, Van Vliet is your partner in making your supply chain more efficient, sustainable and future-proof.

Join us on the journey to logistical excellence and a greener future.

Van Vliet Verhuur B.V. Rietwijkeroordweg 33 1432 JG Aalsmeer The Netherlands

T: +31 297 23 17 23

info@vanvlietcontainers.nl www.vanvlietcontainers.nl A tradition of quality, empowered by innovation

At Van Vliet, we are known for our trusted range of roll containers that have set the standard in the logistics industry for decades. But we don't stop there. Our commitment to innovation means we are constantly exploring new developments to meet the evolving needs of our customers. Whether it's creating modular designs for enhanced flexibility or integrating smart technology for improved tracking and efficiency. We go beyond the traditional to offer solutions that keep you ahead of the curve.


### Visit our website:

www.vanvlietcontainers.nl



## Rolling containers and logistics solutions

With Van Vliet, you are always ready for new orders. Call us for pool management, handling services, roll container transport and repair.



In- & outbound services

Data & tracking services

It software online

**Custom RFID labels** 

**Recycling of plastics** 

**Trolley repair** 

**Shelve repair** 

Total service packages and custom made packages





## **Containers**

#### **CC Containers**

#### **DANISH TROLLEY CC T6 RFID**

Art. 10.1001

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

19 - 20 kg

#### **DESCRIPTION**

- Rental only
- Termical galvanized
- · Steel & coated birch plywood
- 450 kg max
- Includes with RFID padlock and CC (RM)
- Suitable for RFH and Landgard process transfers with repair and maintenance



Rental only

Sale & Rental

Sale & Rental



#### **DC Containers**

#### **DANISH TROLLEY RQ**

art 10.1004

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

12,7 - 13 kg

#### DESCRIPTION

- Electric galvanized
- · Steel & plywood
- 375 kg max
- Floriculture industry, events, shop display
- Rental optional



#### **DANISH TROLLEY MQ**

Art. 10.1005

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

13,7 - 14 kg

#### **DESCRIPTION**

- Thermical galvanized
- · Steel & plywood
- 375 kg max
- Floriculture industry, events, shop display
- · Rental optional





#### **DANISH TROLLEY CCQ**

Art. 10.1003

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

18 - 19 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel & plywood
- 375 kg max
- Floriculture industry, events, shop display



#### **DANISH TROLLEY CUSTOMIZED**

Art. 10-1105

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

13,7 - 14 kg

#### **DESCRIPTION**

- Powder coated steel base
- Any RAL color
- 375 kg max
- Customized logo, text, RFID
- Floriculture industry, events, shop display



#### **DANISH TROLLEY MW**

Art. 10.1020

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

16 - 17 kg

- Thermical galvanized
- Steel
- Floriculture outside, nurseries, farms
- Meshwire base



## **Trolleys**



#### **DANISH TROLLEY ONE WAY**

Art. 10.1004DISP

SIZE (LXWXH)

1350 x 565 mm

**WEIGHT** 

36,5 kg (incl. 4 pots)

#### DESCRIPTION

- Disposable, perfect for one way distribution on. Adjustable in height, lightweight.
- Powder coated steel base, 4 mm compressed wood
- Powder coated / 1800 mm / 0,8 mm
- steel
- Other post sizes, other wheel types available
- Any RAL color

#### **DC ONE WAY SHELVES**

Art. 20.2003DSP

SIZE (LXWXH)

1350 x 565 mm

#### DESCRIPTION

- Powder coated steel base, 4 mm compressed wood
- Any RAL color



#### **EC EURO SIZE TROLLEY**

Art. 10.1012

SIZE (LXWXH)

1350 x 565 mm

**WEIGHT** 

22,6 kg incl. 4 posts

#### **DESCRIPTION**

- Rental only
- Thermical galvanized
- Stee

Rental only



#### **MAESTRO TROLLEY**

Art. 10.1011

SIZE (LXWXH)

1310x1020x1900 mm

**WEIGHT** 

36,6 kg

#### DESCRIPTION

Sale & Rental

- Thermical galvanized
- Steel & aluminum
- Storing and moving of goods
- Rental optional



#### **HOLLAND TROLLEY**

Art. 10.1701

SIZE (L X W X H)

1320x1020x2080 mm

**WEIGHT** 

55 kg

#### **DESCRIPTION**

- Thermical galvanized
- Stee
- Storing and moving goods



#### **MAXI TROLLEY**

Art. 10.1019

SIZE (LXWXH)

1240 x 1020 x 2350 mm

**WEIGHT** 

25,5kg

- Spraypainted & thermical galvanization
- Steel & plywood
- Up to 18% transport efficiency (26 per FTL)

#### **MEDICAL TROLLEY**

Art. 10-9801

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT1**

11,3 kg

#### DESCRIPTION

- Stainless steel
- Farmaceutica industry, biological growers
- Produce to order



#### **1/2 DC CONTAINER (675)**

Art. 10.1007

#### SIZE (LXWXH)

675 X 565 mm

#### WEIGHT

10,5 - 11,5 kg excl. 4 posts

#### **DESCRIPTION**

- Electric & thermical galvanized
- PP wheels
- 1800 mm posts / 30 holes / 1,8 mm
- steel
- Produce to order



#### MICRO CONTAINER (1/2 EU SIZE)

Art. 10.1009

#### SIZE (L X W X H)

810 x 610 mm

#### **WEIGHT**

11 - 12 kg excl. 4 posts

#### **DESCRIPTION**

- Electric & thermical galvanized
- Steel & plywood
- Produce to order



#### **VVR TROLLEY BASE (SALES)**

Art. 10.7051.K

#### SIZE (L X W X H)

611 x 810 mm

#### **WEIGHT**

14,2 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel & (R) polypropylene (grey/black)
- 1 RFID included
- Nylon PA
- Distribution & display for retail







#### **VVR TROLLEY BASE (RENTAL)**

Art. 10.7055.R

#### SIZE (LXWXH)

612 x 810 mm

#### **WEIGHT**

14,2 kg

- Thermical galvanized
- Steel & (R) polypropylene (grey/black)
- 1 RFID included
- Nylon PA
- Distribution & display for retail







## **Shelves**



#### **DANISH SHELVE MQ**

Art. 20.2002

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

4,1 kg

#### **DESCRIPTION**

- Electric galvanized
- Steel & wood
- 60 kg max
- Floriculture industry, events, shop display

Sale & Rental

Sale & Rental

Rental optional



#### **DANISH SHELVE CCQ**

Art. 20.2001

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

5,6 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel & wood
- 80 kg max
- Floriculture industry, events, shop display
- Rental optional



#### **DANISH SHELVE ULTRA HEAVY DUTY**

Art. 20.2011

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

8,75 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel & wood
- 100 kg max
- Floriculture industry, events, shop display
- Welded frame



#### **DANISH SHELVE MESH WIRE**

Art. 20.2020

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

7,5 kg

#### **DESCRIPTION**

- · Thermical galvanized
- Steel
- 80 kg max
- Welded frame



#### DANISH SHELVE CC (WITH RM) DESCRIPTION

Art. 20.2000

#### SIZE (LXWXH)

#### **WEIGHT**


Rental only

Rental only

- 1350 x 565 mm

5,75 kg

- Steel & wood
- 80 kg max
- Suitable for RFH and Landgard process transfers with repair and maintenance



#### **EC EURO SIZE SHELVE**

Art. 20.2008

#### SIZE (LXWXH)

804 x 602 mm

#### **WEIGHT**

3,4 kg

#### **DESCRIPTION**

• Thermical galvanized Steel • 125 kg max



#### **DANISH SHELVE PP**

Art. 20.2010

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

6,2 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel & (R) Polypropylene
- 80 kg max
- Floriculture industry, events, shop display
- Black



#### **DANISH BUCKET SHELVE**

Art. 20.2910 8 rings Art. 20.2900 10 rings

#### SIZE (LXWXH)


1350 x 565 mm

#### **WEIGHT**

7,8 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel
- Flower bucket display
- 8-10 rings



#### **FLEX 1/2 SHELVE**

Art. 20.2015

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

3,05 kg

- Electric galvanized
- Steel & wood 630 x 545 mm
- 45 kg max
- For efficient packing of Danish container (different plant sizes)



#### **FLEX 3/4 SHELVE**

Art. 20.2016

#### SIZE (LXWXH)

1350 x 565 mm

#### **WEIGHT**

3,55 kg

#### DESCRIPTION

- Electric galvanized
- Steel & wood 890 x 545 mm
- 45 kg max
- For efficient packing of Danish container (different plant sizes)



#### **VERTICAL SHELVE**

Art. 20.2031 - long Art. 20.2032 - short

### **SIZE (L X W X H)**

1195 mm (I) x 455 mm (w) - long 440 mm (I) x 445 mm (w) - short

#### **WEIGHT**

2,1 kg - long 1,2 kg - short

- Steel hooks 4mm > 6 mm
- 6 mm plywood with protective film coating
- Often used to prevent transport damage for vegetable plants



## Shelves retail



#### **MAESTRO SHELVE**

Art. 20.2007

#### SIZE (LXWXH)

1200 x 1000 mm

#### **WEIGHT**

7,3 kg

#### **DESCRIPTION**

- Full Anodized Aluminum
- Storing and moving of goods
- 6 mm hook
- Fits also on the Holland container
- 90 kg max Uniformly Distributed Load (UDL)



#### **HOLLAND SHELVE**

Art. 20.2012

#### SIZE (LXWXH)

1200 x 1000 mm

#### **WEIGHT**

7,05 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel
- Storing and moving of goods
- Company name in graved
- 90 kg max Uniformly Distributed Load (UDL)



#### **MAXI SHELVE**

Art. 20.2019

#### SIZE (L X W X H)

1200 x 1000 mm

#### **WEIGHT**

10.45 kg

#### **DESCRIPTION**

- Thermical galvanized
- Steel & wood
- 90 kg max Uniformly Distributed Load (UDL)



#### WATER PLATE | SHELVE

#### **INLAY**

Art. 20.2080

#### SIZE (LXWXH)

1240 x 1020 mm

#### **WEIGHT**

2,12 kg

#### **DESCRIPTION**

- Fits DC/CC base and shelve
- Multiple use polypropylene
- Inlay of Danish trolley shelve for watering and protection
- Black



#### 1/2 DC SHELVE (675)

Art. 20.2004

#### SIZE (LXWXH)

640 x 545 mm

#### **WEIGHT**

2,3 kg

- Electric & thermical
- · Steel & wood

#### **VVR SHELVE (SALES)**

Art. 20.7050.N **SIZE (L X W X H)** 

802 x 602 mm

**WEIGHT** 

4,2 kg

#### **DESCRIPTION**

- (R) Polypropylene
- Steel thermical galvanized
- Grey/black
- 90 kg max Uniformly Distributed Load (UDL)



#### **VVR SHELVE (RENTAL)**

Art. 20.7055.R

SIZE (LXWXH)

802 x 602 mm

**WEIGHT** 

4,2 kg

#### **DESCRIPTION**

- Rental only
- (R) Polypropylene
- Steel thermical galvanized
- Green
- 90 kg max Uniformly Distributed Load (UDL)



Rental only

#### **VVR WATER TRAY INLAY**

Art. 20.2082

SIZE (LXWXH)

802 x 602 mm

#### **DESCRIPTION**

- Base and shelve
- Single use
- Customized PP & PET



#### **VVR WATER TRAY INLAY**

Art. 20.2083

SIZE (LXWXH)

802 x 602 mm

#### **DESCRIPTION**

- Base and shelve
- Reusable
- Customized PP & PET



#### **VVR STACKING CAP**

Art. 30-3105 ml

#### **DESCRIPTION**

- Polypropylene
- DEKRA Certified







examples (not included)

## **Posts**



**VVR POST 1.150 MM** 

Art. 40.7050

**VVR POST 1.450 MM** 

Art. 40.7056

**VVR POST 1.800 MM** 

Art. 40.7051

#### **DESCRIPTION**

- Thermical galvanized
- 2.5 mm steel
- Welded lip



**POST 1.800 (MQ)** 

Art. 40.3000

SIZE (L X W X H)

1.800 mm length

**WEIGHT** 

2,3 kg

#### **DESCRIPTION**

- Electric galvanized
- 1.8 mm steel



#### **POST 1.800 (CCQ)**

Art. 40.3024

SIZE (L X W X H)

1.800 mm length

**WEIGHT** 

3,4 kg

#### **DESCRIPTION**

- Thermical galvanized
- 2.0 2.5 mm steel



#### POST 1.150 (RETAIL)

Art. 40.3022

SIZE (L X W X H)

1.150 mm length

**WEIGHT** 

1,35 kg

#### **DESCRIPTION**

- Electric galvanized
- 1.8 mm steel
- Stacking 2 Danish trolleys for efficient transport
- 18 holes



#### **POST CUSTOMIZED**

Art. 40.9999

#### DESCRIPTION

- Customized
- Any length
- Text insert punched possible
- Any RAL color
- 1,8mm > 3mm thickness



## TROLLEY STACKING BAR (HEAVY LONG TERM DUTY)

Art. 60.4801 left Art. 60.4802 right

Art. 60.4803 hook **SIZE (L X W X H)** 

Fits 34x34 posts

- Thermical galvanized
- Stee
- Stacking of full Danish trolleys (safety)

## **Accessories**

#### **STEEL EXTENTION 390**

Art. 30.3001

#### SIZE (LXWXH)

390 mm

#### **WEIGHT**

180 gr

#### **DESCRIPTION**

- Galvanized steel
- Steel 0,8 mm
- To extend the post for efficient transport
- 7 holes
- 50 pieces per bundle



#### **STEEL EXTENTION 660**

Art. 30.3002

#### SIZE (LXWXH)

660 mm

#### **WEIGHT**

320 gr

#### **DESCRIPTION**

- Galvanized steel
- Steel 0.8 mm
- To extend the post for efficient transport
- 13 holes
- 50 pieces per bundle



#### **PLASTIC EXTENTION 390**

Art. 30.3005

#### SIZE (LXWXH)

460 mm

#### **WEIGHT**

80 gr

#### **DESCRIPTION**

- Polypropylene
- To extend the post for efficient transport
- 75 pieces per box
- 9 holes



#### WRAPPING EXTENSION

Art. 30.3007

#### **WEIGHT**

120 gr

#### **DESCRIPTION**

- Polypropylene
- To extend the post for efficient wrapping
- only for packaging purposes



#### **DC TOWBAR AND PIN**

Art. 60.6001

#### **DESCRIPTION**

- Thermical galvanized
- Stee
- For connecting Danish trolleys for internal transport activities



#### **TROLLEY DESK**

Art. 60.3041

- Electric galvanized
- Steel & wood
- Orderpicking paperwork and more




Repair items

#### **BASE WOOD (REPAIR)**

Art. 60.3031

#### **DESCRIPTION**

- Brown film layer
- 6 mm filmed plywood
- For the repair of logistics items and danish trolleys



## LONG STRIP HD QUALITY (REPAIR)

Art. 60.3073

#### **DESCRIPTION**

- Thermical galvanized
- 2,5 3 mm steel (5-6 mm hook)
- For the repair of logistics items and Danish trolleys shelves

#### **SHELVE WOOD (REPAIR)**

Art. 60.3030

#### DESCRIPTION

- Brown film layer
- 6 mm filmed plywood
- For the repair of logistics items and danish trolleys

#### **SHORT STRIP (REPAIR)**

Art. 60.3080

#### DESCRIPTION

- Electric galvanized
- 0,8 1,0 mm steel
- For the repair of logistics items and Danish trolleys shelves

## LONG STRIP REGULAR QUALITY (REPAIR)

Art. 60.3070

#### **DESCRIPTION**

- · Electric galvanized
- 1,8 2 mm steel (5 mm hook)

## BOLTS - and NUTS KIT (REPAIR)

Art. 60.3050 Art. 60.3051

#### **DESCRIPTION**

- Electric galvanized
- Steel (M8)
- For the repair of logistics items and Danish trolleys

#### **RIVET KIT (REPAIR)**

Art. 60.3060

- Steel & aluminum
- For the repair of logistics items and Danish trolleys & shelves

## Wheels

#### **SWIVEL WHEEL RUBBER GREY**

Art. 60-3012-CLS

#### **DESCRIPTION**

- Medium duty TPR (grey)
- H=155mm
- 125mm / 38mm running surface
- Max load 150 kg



#### **FIXED WHEEL RUBBER GREY**

Art. 60-3013-CLS

#### DESCRIPTION

- Medium duty TPR (grey)
- H=155mm
- 125mm / 38mm running surface
- Max load 150 kg



## SWIFEL WHEEL HEAVY DUTY BLUE RUBBER

Art. 60.3018

#### **DESCRIPTION**

- 125mm / 45mm running surface
- Plate mount 85 x 70
- 1.860 gram
- Max load 350 kg



#### **FIXED WHEEL HEAVY DUTY**

Art. 60.3019

#### **DESCRIPTION**

- 125 mm / 45 mm running surface
- Plate mount 85 x 70
- 1.860 gram
- Max load 350 kg



## DANISH TROLLEY WHEEL FIXED (REPAIR)

Art. 60.3008

#### **DESCRIPTION**

- Electric galvanized
- Steel & polypropylene
- For the repair of logistics items and Danish trolleys
- Max load 125 kg



## DANISH TROLLEY WHEEL SWIVEL (REPAIR)

Art. 60.3009

- Electric galvanized
- Steel & polypropylene
- For the repair of logistics items and Danish trolleys
- Max load 125 kg







## **Expert and innovative** in load carriers

Innovative concepts require equally advanced load carriers and logistics solutions. We collaborate closely, designing, testing and producing tailored solutions. With Van Vliet, you gain 25 years of expertise in load carriers and logistics. We are committed to innovation, quality, and transparency. Our comprehensive range of services ensures customized solutions that meet your unique needs.

#### Benefits of partnering with Van Vliet:

- Quality: Over 25 years of experience
- Innovation: In-house R&D department
- **Transparency**: Real-time visibility into your transactions
- Comprehensive service package:
- End-to-end solutions for all your needs
- **Customization**: Tailored solutions to meet specific requirements
- **Proven reliability**: A trusted partner for consistent performance and support



## smarter supply chains

## newwen




Shaping the future:
smart & sustainable solutions
for the next generation of
supply chains

+ supply chains

# Innovating today, for sustainable logistics tomorrow

+



At Newwen, we believe that the logistics of tomorrow start with the innovations of today. We support companies worldwide in optimizing their logistics processes through innovative technologies, eco-friendly packaging and intelligent urban logistics concepts.

Trusted by the world's leading retailers and fast-growing e-commerce companies, we are committed to delivering the highest quality and reliability. Join us in building a more sustainable and efficient world for future generations.

Van Vliet Retail B.V. | Newwen Rietwijkeroordweg 33 1432 JG Aalsmeer The Netherlands T: +31 297 36 80 03

info@newwen.com www.newwen.com

#### Pioneers in smart packaging

Newwen is a pioneer in reusable packaging materials integrated with IoT technology, setting the standard for innovation in the industry. As the first company to combine these advancements, we have established ourselves as the expert in supply chain solutions for large e-commerce businesses.



### Your customised solutions proces

## Our integrated approach: a true one-stop shop

At Newwen, we manage every aspect of your project in-house, ensuring seamless coordination and superior quality. From initial requirement interviews and supply chain analysis to R&D, prototyping, production and after-sales services, we provide end-to-end solutions as your one-stop-shop. This integrated approach allows us to deliver customized, innovative logistics solutions that meet your unique needs, while maintaining the highest standards of efficiency and transparency.

#### newwen.com





The VVR retail load carriers are becoming a more familiar sight in Europe and have already been adopted by several large retailers as the new standard for the distribution and display of their flowers and plants. Currently used in many countries in thousands of supermarkets. Some reasons why retailers choose to use the VVR system are:



Official LCA study and report proof that this VVR system provides a 67%>70% CO2 reduction, 77%>80% CED reduction and 69%>71% H2O reduction\*. 1.000 units save Carbon reduction equivalent of 249.071 km drive (Ford Fiesta 1.0 ecoboost), saves 335.050 liters of water and saves a yearly energy use of 22 households!

(\*compared to CC/DC Trolley systems)

These VVR items can be cleaned or disinfected. Compared to traditional wood in Danish containers and shelves, dangerous bacteria and molds can be nested in the wood cells. Currently used wood items cannot be cleaned or disinfected in a easy way.

Compared to Danish Containers/shelves no Phenol- and Formaldehyde chemicals are used! This can be 100% recycled, it does not need to be burned at the end of the life cycle like Danish shelves and CC/DC container bases.



East to disassemble, stack for return transports or storage. All bases have RFID technology which can be used for automated registration. No additional packing needed to avoid plant material like soil and waste material getting on your supermarket floor due to the closed concept. All Euro norm size based. Special accessories available, like flower bucket shelves, special wreath shelves, anti frost covers, watering sheets, efficient plant trays, safety stacking tools (DEKRA certified).

Available in 3 height variants, posts of 1.150 mm (to stack 2 sets), 1.450 mm and 1.800 mm. Ground size 610 mm x 810 mm. Other post sizes can be custom made.

Base and posts are stainless steel, steel parts of the casters and shelves are high quality electrical galvanized. Salt spray laboratory tests show no dark rust after 272 hours for shelves steel parts and 336 hours for the casters.





Independent laboratory test show that the VVR system can withstand extreme pressure and weights, up to 5 to 10 times of the current DC/CC RTI systems.

- Cost per turn is >50% lower than common plant distribution in cardboard boxes on pallets.
- Sales and rental versions available
- High quality and visually highly attractive for consumer stores
- Posts cannot be exchanged with other RTI concepts to prevent fraud
- Protected by intellectual property
- Standard EURO size measurements (1/2 EU pallet size) is more convenient for retail supply chains
- Constant innovation and development for new accessories for the VR system make it more and more suitable for all supply chains

Explore the possibilities for your supply chain, see what benefits it can bring? Setting up a testcase for your supply chain can be arranged to proof the satisfying benefits. Contact our NEWWEN account team for more information or plan a visit to our new Experience Center in Aalsmeer.





FOLDABLE DISPLAY SYSTEM

Art. 10.8800



For supermarkets, garden centers, DIY stores and flower shops.



#### **FOLDABLE DISPLAY SYSTEM**

Art. 10.8800



- size I x b: 1270x540 mm/1200x600 mm
- Available in Horti danish shelve and euro retail format

#### **VVR TROLLEY BASE (SALES)**

Art. 10.7051.K

#### SIZE (LXWXH)

610 x 810 mm

**WEIGHT** 

14,2 kg

#### DESCRIPTION

- Thermical galvanized
- Steel & (R) polypropylene
- Grey/black
- 1 RFID included
- Nylon PA



#### **VVR TROLLEY BASE (RENTAL)**

Art. 10.7055.R

#### SIZE (LXWXH)


612 x 810 mm

**WEIGHT** 

14,2 kg

#### DESCRIPTION

- Rental only
- Thermical galvanized
- Steel & (R) polypropylene
- Green
- 1 RFID included
- Nylon PA



#### **VVR SHELVE (SALES)**

Art. 20.7050.N

#### SIZE (LXWXH)

802 x 602 mm

#### **WEIGHT**

4,2 kg

#### **DESCRIPTION**

- (R) Polypropylene
- Steel thermical galvanized
- Grey/black





#### **VVR SHELVE (RENTAL)**

Art. 20.7055.R

#### SIZE (LXWXH)

802 x 602 mm

#### **WEIGHT**

4,2 kg

#### **DESCRIPTION**

- Rental only
- (R) Polypropylene (green)
- Steel thermical galvanized
- Green





Rental only





#### **VVR WATER TRAY INLAY** Art. 20.2082

**SIZE (L X W X H)** 802 x 602 mm

#### **DESCRIPTION**

- Base and shelve
- Single use



#### VVR WATER TRAY INLAY Art. 20.2083 SIZE (L X W X H)

802 x 602 mm

#### DESCRIPTION

- Base and shelve
- Reusable

### **VVR POST 1.150 MM** Art. 40.7050

**VVR POST 1.450 MM** Art. 40.7056

**VVR POST 1.800 MM** Art. 40.7051

- Thermical galvanized
- 2.5 mm steel







examples (not included)

#### **VVR STACKING CAP** Art. 30-3105 VVR

- (R) Polypropylene
- DEKRA Certified

## Retail

#### **ORDERPICKING LARGE TROLLEY**

Art. 10.1650 size: 1890x560 mm

#### LARGE LIGHTWEIGHT ALUMINIUM SHELF

Art. 201651

POST 1.800 (CCQ)

Art. 40.3021





#### **AUTOMATED ORDERPICKING XXL TROLLEY**

Art. 10.1652 size: 2250x560 mm

#### **ORDERPICKING XXL SHELVE**

Art. 20.2030

**POST 1.800 (CCQ)** 

Art. 40.3021



#### **EV TRANSPORT TROLLEY (12 TOTES)**

Art. 10.5702

- Steel and aluminium
- Custom made

#### **EV TRANSPORT TROLLEY (18 TOTES)**

Art. 10.5802

- steel and aluminium
- Custom made

#### **EV TRANSPORT TROLLEY (16 TOTES)**

Art. 10.5303

- steel and aluminium
- Custom made

#### **EV TRANSPORT TROLLEY (24 TOTES)**

Art. 10.5402 steel and aluminium Custom made





#### **LSS TROLLEY**

Art. 10.9050

- Size: 1000 x 800 (I x w) mm
- Weight: 29 kg ex bars
- Thermical galvanized
- Storing or moving large size materials
- DIY stores, garden centers

#### **BAKERY TROLLEY PP WHEEL**

Art. 10.9010

#### **BAKERY TROLLEY TPR WHEEL**

Art. 10.9011



#### **BAKERY BOX**

Art. 07-2001-5040

- PP Corrugated sheet
- 0-30% recycle material
- Any color available





#### **BEER TABLE TROLLEY**

Art. 10.8020

• Size: 2290x580 mm

• Weight: 34kg



## Our integrated approach a true one stop shop

+

At Newwen, we manage every aspect of your project in-house, ensuring seamless coordination and superior quality.





From initial requirement interviews and supply chain analysis to R&D, prototyping, production, and after-sales services, we provide end-to-end solutions as your one-stop-shop.

This integrated approach allows us to deliver customized, innovative logistics solutions that meet your unique needs, while maintaining the highest standards of efficiency and transparency.

newwen.com

## Discover Newwen

As your partner in custom trolleys and logistics innovation, Newwen is committed to the power of customization, innovation and collaboration. We are a leading specialist in custom trolleys and offer smart logistics solutions that help drive your business forward.


Our trolleys are designed with a future-oriented approach, utilizing the latest technologies, including lot integration, to provide real-time insights and control. Whether it's optimizing lastmile distribution or increasing logistical efficiency, Newwen is here for you.

With a team of experienced experts, we combine technical know-how with a fresh perspective on the future. As your partner, we work with you from concept to realization, aiming to improve your processes and enhance your competitive edge.

#### What sets us apart?

Our focus on quality, innovation and customercentricity. We listen to your needs, analyze your requirements and translate them into efficient, sustainable and user-friendly solutions.

With Newwen as your partner, you gain not only technological expertise but also a dedicated and reliable advisor.



















**Special Freight** 





**Frost protector** 

#### **SMART FLOWER BUCKET G066 RFID**

Art. 08.2000.G066

- Standard & custom
- RFID optional
- (R) polypropylene



#### **SMART FLOWER BUCKET G077 RFID**

Art. 08.200.G6077

- Standard & custom
- RFID optional
- (R) polypropylene



#### **STACKING COVER G066 | 615**

Art. 03.8066.ST

#### **STACKING COVER G066 | 715**

Art. 03.8071.ST

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Supply chain without packaging







Smart flower bucket G066 RFID Art. 08.2000.G066 (not included)

(example of stacking)

#### **FLOWER COLLAR G066**

Art. 03.8000.5

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Any color available





#### **SMART PLANT TRAY G36 RFID**

Art. 08.8001.636

• Standard & custom

- RFID optional
- (R) polypropylene
- pot size: 12.0


#### **SMART PLANT TRAY G06 RFID**

Art. 08.8001.606

• pot size: 10.5



## Packaging for the future. Durable, reusable, and smart. For sustainable supply chains.



## Multi-use solutions have a lower CO2 impact up to 81% compared with single

73.04 kg CO2 eq\* (single use) 16.52 kg CO2 eq\* (multi use)

use

\* Impact category: Climate change \* Method: EF 3.0 Method (Ecoinvent v 3.8 Cut-Of)

#### **PRODUCE BOX 4 KG**

Art. 04.1004.SP

• Size: 330 x 270 x 105 mm

#### **PRODUCE BOX 8 KG**

Art. 04.8004.SP

- Size: 400 x 300 x 150 mm
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label



#### **PRODUCE BOX AVO**

Art. 04.1050.S040

- Size: 400 x 300 x 100 mm
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label



#### **PRODUCE BOX PEP**

Art. 04.1010.S030

- Size: 500 x 300 x 160 mm
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label



#### **BANANA BOX 18 KG**

Art. 04.1010.V040

- Size: 498 x 398 x 240 mm
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label















#### **519 BOX LID**

Art. 02.2519.V040

#### **519 BOX BOTTOM**

Art. 01.2519.V040

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Anv color available
- Optional RFID label

#### **CNT BOX LID**

Art. 02.1002.V030

#### **CNT BOX BOTTOM**

Art. 01.1002.V040

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label

#### **523 BOX LID**

Art. 02.2523.V040

#### **523 BOX BOTTOM**

Art. 01.2523.V040

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label

#### **AA BOX LID**

Art. 02.2001.V040

#### **AA BOX BOTTOM**

Art. 01.2001.V040

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label

#### **AA BOX HIGH BOTTOM**

Art. 01.2201.V040

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label

## Horti culture boxes multi-use





#### 1/1 DANISH TROLLEY SHELVE BOX LID

Art. 02.2100.V040

- Standard & custom
- Ultrasonic welded
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label

#### 1/1 DANISH TROLLEY SHELVE BOX BOTTOM

Art. 01.2100.V040

- Standard & custom
- Ultrasonic welded
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label



#### 1/2 DANISH TROLLEY SHELVE BOX LID

Art. 02.2050.V030

- Standard & custom
- Ultra sonic welded
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label

#### 1/2 DANISH TROLLEY SHELVE BOX BOTTOM

Art. 01.2052.S040

- Standard & custom
- Ultrasonic welded
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label



#### **DANISH TROLLEY COLLAR**

Art. 03.1000.S040

- Standard & custom
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label

## **EURO** boxes multi-use



#### **EURO BOX 28**

Art. 09.1028.V035

#### **EURO BOX 38**

Art. 09.1038.V035

#### **EURO BOX 48**

Art. 09.1048.V035

#### **EURO BOX 58**

Art. 09.1058.V035

#### **EURO BOX 78**

Art. 09.1078.V035

- Standard & custom
- Ultrasonic welded
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID labelFEFCO 0201 available



#### **PALLET SHEET 3MM**

Art. 07.1000.S030

#### **PALLET SHEET 5MM**

Art. 07.1000.S050

- Standard & custom
- Size 780 x 1180 mm
- PP Corrugated sheet
- 0-30% recycle material
- Any color available
- Optional RFID label



In a world where speed and efficiency are paramount, Newwen offers the future of smart logistics. By leveraging Internet of Things technology (IoT), we bring boxes, crates and trolleys to life with real-time insights, tracking and advanced connectivity.



Imagine a logistics process that is constantly optimized through real-time data. Our IoT solutions make this a reality. From tracking the location of a trolley to monitoring the contents of a box — everything becomes visible, controllable and predictable. This leads to shorter lead times, fewer errors and greater flexibility within your supply chain.

#### Why choose Newwen?

We are not just a supplier, but your partner in innovation. We develop smart solutions that seamlessly integrate with your business processes and are fully customized to your needs. Together with you, we build a future where your logistics become smarter, faster and more sustainable.

Discover how our IoT-integrated boxes, crates and trolleys can boost your logistics efficiency.

Newwen – Together, we make logistics smarter.









# Partnering on custom solutions for lasting impact

At Newwen, we pride ourselves on partnering with forward-thinking companies to create custom, innovative solutions that enhance every aspect of their logistics processes. Our collaboration with Picnic, one of the fastest-growing online supermarket chains in Europe, is a prime example of our hands-on, tailored approach to supply chain optimization.

Michel Muller, CEO of Picnic shares his experience:



"Newwen is a true hands-on partner, working effectively together during our research and development process. The racks are specifically designed to meet the needs of all the steps in our supply chain. Increasing the productivity of our staff, electric vehicles, hubs, and fulfilment centeres with enhanced solutions for our racking system."

